

Cancellous Screws

Product Catalogue



Screws

Cancellous Screw Ø4.0mm, Fully threaded, Self-tapping



Profile	
Thread diameter:	4.0 mm
Drill bit for threaded hole:	2.5 mm
Core diameter :	1.9 mm
Hexagonal socket :	2.5 mm
Head diameter :	6.0 mm

Profile	
Thread diameter:	4.0 mm
Drill bit for threaded hole:	2.5 mm
Core diameter :	1.9 mm
Hexalobular socket :	T15
Head diameter :	6.0 mm

Length mm	Hexagonal Drive		Hexalobular Drive	
	Stainless Steel	Titanium	Stainless Steel	Titanium
10	206810E-000	206810E-100	258010E-000	258010E-100
12	206812E-000	206812E-100	258012E-000	258012E-100
14	206814E-000	206814E-100	258014E-000	258014E-100
16	206816E-000	206816E-100	258016E-000	258016E-100
18	206818E-000	206818E-100	258018E-000	258018E-100
20	206820E-000	206820E-100	258020E-000	258020E-100
22	206822E-000	206822E-100	258022E-000	258022E-100
24	206824E-000	206824E-100	258024E-000	258024E-100
26	206826E-000	206826E-100	258026E-000	258026E-100
28	206828E-000	206828E-100	258028E-000	258028E-100
30	206830E-000	206830E-100	258030E-000	258030E-100
32	206832E-000	206832E-100	258032E-000	258032E-100
34	206834E-000	206834E-100	258034E-000	258034E-100
35	206835E-000	206835E-100	258035E-000	258035E-100
36	206836E-000	206836E-100	258036E-000	258036E-100
38	206838E-000	206838E-100	258038E-000	258038E-100
40	206840E-000	206840E-100	258040E-000	258040E-100
42	206842E-000	206842E-100	258042E-000	258042E-100
44	206844E-000	206844E-100	258044E-000	258044E-100
45	206845E-000	206845E-100	258045E-000	258045E-100
46	206846E-000	206846E-100	258046E-000	258046E-100
48	206848E-000	206848E-100	258048E-000	258048E-100
50	206850E-000	206850E-100	258050E-000	258050E-100
55	206855E-000	206855E-100	258055E-000	258055E-100
60	206860E-000	206860E-100	258060E-000	258060E-100

Cancellous Screw Ø4.0mm, Short-thread, Self-tapping



Profile	
Thread diameter:	4.0 mm
Drill bit for threaded hole:	2.5 mm
Core diameter :	1.9 mm
Hexagonal socket :	2.5 mm
Head diameter :	6.0 mm

Profile	
Thread diameter:	4.0 mm
Drill bit for threaded hole:	2.5 mm
Core diameter :	1.9 mm
Hexalobular socket :	T15
Head diameter :	6.0 mm

Length mm	Hexagonal Drive		Hexalobular Drive	
	Stainless Steel	Titanium	Stainless Steel	Titanium
10	207810E-000	207810E-000	258010E-000	258010E-100
12	207812E-000	207812E-000	258012E-000	258012E-100
14	207814E-000	207814E-000	258014E-000	258014E-100
16	207816E-000	207816E-000	258016E-000	258016E-100
18	207818E-000	207818E-000	258018E-000	258018E-100
20	207820E-000	207820E-000	258020E-000	258020E-100
22	207822E-000	207822E-000	258022E-000	258022E-100
24	207824E-000	207824E-000	258024E-000	258024E-100
26	207826E-000	207826E-000	258026E-000	258026E-100
28	207828E-000	207828E-000	258028E-000	258028E-100
30	207830E-000	207830E-000	258030E-000	258030E-100
32	207832E-000	207832E-000	258032E-000	258032E-100
34	207834E-000	207834E-000	258034E-000	258034E-100
35	207835E-000	207835E-000	258035E-000	258035E-100
36	207836E-000	207836E-000	258036E-000	258036E-100
38	207838E-000	207838E-000	258038E-000	258038E-100
40	207840E-000	207840E-000	258040E-000	258040E-100
42	207842E-000	207842E-000	258042E-000	258042E-100
44	207844E-000	207844E-000	258044E-000	258044E-100
45	207845E-000	207845E-000	258045E-000	258045E-100
46	207846E-000	207846E-000	258046E-000	258046E-100
48	207848E-000	207848E-000	258048E-000	258048E-100
50	207850E-000	207850E-000	258050E-000	258050E-100
55	207855E-000	207855E-000	258055E-000	258055E-100
60	207860E-000	207860E-000	258060E-000	258060E-100

Screws

Cancellous Screw Ø6.5mm, Fully threaded, Self-tapping



Profile	
Thread diameter:	6.5 mm
Drill bit for threaded hole:	3.2 mm
Core diameter :	3.0 mm
Hexagonal socket :	3.5 mm
Head diameter :	8.0 mm

Profile	
Thread diameter:	6.5 mm
Drill bit for threaded hole:	3.2 mm
Core diameter :	3.0 mm
Hexalobular socket :	T25
Head diameter :	8.0 mm

Length mm	Hexagonal Drive		Hexalobular Drive	
	Stainless Steel	Titanium	Stainless Steel	Titanium
20	218820E- 000	218820E- 100	259020E- 000	259020E- 100
25	218825E- 000	218825E- 100	259025E- 000	259025E- 100
30	218830E- 000	218830E- 100	259030E- 000	259030E- 100
35	218835E- 000	218835E- 100	259035E- 000	259035E- 100
40	218840E- 000	218840E- 100	259040E- 000	259040E- 100
45	218845E- 000	218845E- 100	259045E- 000	259045E- 100
50	218850E- 000	218850E- 100	259050E- 000	259050E- 100
55	218855E- 000	218855E- 100	259055E- 000	259055E- 100
60	218860E- 000	218860E- 100	259060E- 000	259060E- 100
65	218865E- 000	218865E- 100	259065E- 000	259065E- 100
70	218870E- 000	218870E- 100	259070E- 000	259070E- 100
75	218875E- 000	218875E- 100	259075E- 000	259075E- 100
80	218880E- 000	218880E- 100	259080E- 000	259080E- 100
85	218885E- 000	218885E- 100	259085E- 000	259085E- 100
90	218890E- 000	218890E- 100	259090E- 000	259090E- 100
95	218895E- 000	218895E- 100	259095E- 000	259095E- 100
100	218900E- 000	218900E- 100	259100E- 000	259100E- 100
105	218905E- 000	218905E- 100	259105E- 000	259105E- 100
110	218910E- 000	218910E- 100	259110E- 000	259110E- 100
115	218915E- 000	218915E- 100	259115E- 000	259115E- 100
120	218920E- 000	218920E- 100	259120E- 000	259120E- 100
125	218925E- 000	218925E- 100	259125E- 000	259125E- 100
130	218930E- 000	218930E- 100	259130E- 000	259130E- 100

Cancellous Screw Ø6.5mm, Thread Length 32mm, Self-tapping



Profile	
Thread diameter:	6.5 mm
Drill bit for threaded hole:	3.2 mm
Shaft diameter	4.5 mm
Core diameter :	3.0 mm
Hexagonal socket :	3.5 mm
Head diameter :	8.0 mm

Profile	
Thread diameter:	6.5 mm
Drill bit for threaded hole:	3.2 mm
Shaft diameter	4.5 mm
Core diameter :	3.0 mm
Hexalobular socket :	T25
Head diameter :	8.0 mm

Length mm	Hexagonal Drive		Hexalobular Drive	
	Stainless Steel	Titanium	Stainless Steel	Titanium
45	217845E- 000	217845E- 100	259445E- 000	259445E- 100
50	217850E- 000	217850E- 100	259450E- 000	259450E- 100
55	217855E- 000	217855E- 100	259455E- 000	259455E- 100
60	217860E- 000	217860E- 100	259460E- 000	259460E- 100
65	217865E- 000	217865E- 100	259465E- 000	259465E- 100
70	217870E- 000	217870E- 100	259470E- 000	259470E- 100
75	217875E- 000	217875E- 100	259475E- 000	259475E- 100
80	217880E- 000	217880E- 100	259480E- 000	259480E- 100
85	217885E- 000	217885E- 100	259485E- 000	259485E- 100
90	217890E- 000	217890E- 100	259490E- 000	259490E- 100
95	217895E- 000	217895E- 100	259495E- 000	259495E- 100
100	217900E- 000	217900E- 100	259500E- 000	259500E- 100
105	217905E- 000	217905E- 100	259505E- 000	259505E- 100
110	217910E- 000	217910E- 100	259510E- 000	259510E- 100
115	217915E- 000	217915E- 100	259515E- 000	259515E- 100
120	217920E- 000	217920E- 100	259520E- 000	259520E- 100
125	217925E- 000	217925E- 100	259525E- 000	259525E- 100
130	217930E- 000	217930E- 100	259530E- 000	259530E- 100
135	217935E- 000	217935E- 100	259535E- 000	259535E- 100
140	217940E- 000	217940E- 100	259540E- 000	259540E- 100

Screws

Cancellous Screw Ø6.5mm, Thread Length 16mm, Self-tapping



Profile	
Thread diameter:	6.5 mm
Drill bit for threaded hole:	3.2 mm
Shaft diameter	4.5 mm
Core diameter :	3.0 mm
Hexagonal socket :	3.5 mm
Head diameter :	8.0 mm

Profile	
Thread diameter:	6.5 mm
Drill bit for threaded hole:	3.2 mm
Shaft diameter	4.5 mm
Core diameter :	3.0 mm
Hexalobular socket :	T25
Head diameter :	8.0 mm

Length mm	Hexagonal Drive		Hexalobular Drive	
	Stainless Steel	Titanium	Stainless Steel	Titanium
30	216830E- 000	216830E- 100	259020E- 000	259020E- 100
35	216835E- 000	216835E- 100	259025E- 000	259025E- 100
40	216840E- 000	216840E- 100	259030E- 000	259030E- 100
45	216845E- 000	216845E- 100	259035E- 000	259035E- 100
50	216850E- 000	216850E- 100	259040E- 000	259040E- 100
55	216855E- 000	216855E- 100	259045E- 000	259045E- 100
60	216860E- 000	216860E- 100	259050E- 000	259050E- 100
65	216865E- 000	216865E- 100	259055E- 000	259055E- 100
70	216870E- 000	216870E- 100	259060E- 000	259060E- 100
75	216875E- 000	216875E- 100	259065E- 000	259065E- 100
80	216880E- 000	216880E- 100	259070E- 000	259070E- 100
85	216885E- 000	216885E- 100	259075E- 000	259075E- 100
90	216890E- 000	216890E- 100	259080E- 000	259080E- 100
95	216895E- 000	216895E- 100	259085E- 000	259085E- 100
100	216900E- 000	216900E- 100	259090E- 000	259090E- 100
105	216905E- 000	216905E- 100	259095E- 000	259095E- 100
110	216910E- 000	216910E- 100	259100E- 000	259100E- 100
115	216915E- 000	216915E- 100	259105E- 000	259105E- 100
120	216920E- 000	216920E- 100	259110E- 000	259110E- 100
125	216925E- 000	216925E- 100	259115E- 000	259115E- 100
130	216930E- 000	216930E- 100	259120E- 000	259120E- 100
135	216935E- 000	216935E- 100	259125E- 000	259125E- 100



No. 12, Kenyuan 2nd Rd., Situn District, Taichung City 40763, Taiwan
Tel: +886-4-2463-6275 Fax: +886-4-2463-6276
www.tandrymed.com